

Index

- AAA ATPases, trafficking proteostasis network function, 301–303
ACE1, 282, 284, 286
Acetylation proteostasis system (APS), 295–296
Alg proteins, 251–253, 255
Aminoglycerophospholipid
 cardiolipin synthesis link with transport, 118–115
 mitochondrial synthesis, 111–114
Anfinsen cage, 293
Anfinsen compartment, 293, 303–304
APS. *See* Acetylation proteostasis system
Arf1, 176, 287, 314–315, 319
ATF6
 origins, 26
 unfolded protein response initiation
 metazoans, 12–13
 yeast, 5
Ayr1p, 114
- Bet1, 272
Bet3, 271–272
Bet5, 271
 β cell. *See also* Insulin
 CHOP role in stressed cell dysfunction, 23–25
 homeostasis failure in endoplasmic reticulum-stressed cell, 23–25
PERK cytoprotection, 21
translational control, 20–21
unfolded protein response pathophysiology, 21–23
BiP, 240, 303, 314
 chaperone function, 67
 expression regulation, 5
 Ire1 binding, 5–7, 11
Bre5, 316
Brefeldin A, 136
- Calnexin, 70
Calnexin cycle, proteomics, 181–183
Calreticulin, 70
Carboxypeptidase Y (CPY), unfolded protein response, 8, 10
Cardiolipin
 link between synthesis and aminoglycerophospholipid transport, 118–115
 mitochondrial synthesis, 114–115
CATCHR complex, 317
Cdc48, 54–55
Ceramide transport protein (CERT), 104, 195, 199, 211, 215, 217
CERT. *See* Ceramide transport protein
CFTR. *See* Cystic fibrosis transmembrane conductance regulator
CHO2, 114
Cholera toxin (CT), endoplasmic reticulum utilization during entry, 148
Cholesterol, synthesis, 194, 196
- CHOP, endoplasmic reticulum-stressed cell dysfunction, 23–25
Climp63, 95–96, 186
Coat, tether, and fusion system (CTF), proteostasis, 291–292, 295, 298
COG complex, 304
COPI, 103, 136–137, 176, 185–186, 216, 270, 287, 298, 314–319
 cage structure of coats, 285–286
 vesicle formation at Golgi, 314–316
COPII, 49, 103, 136, 144, 287, 300, 313, 315, 318
 cage structure of coats, 284–286
 cytoskeletal-mediated cargo transport, 270
 directionality of endoplasmic reticulum–Golgi traffic, 272–273
endoplasmic reticulum-derived vesicle generation, 266–269
endoplasmic reticulum Golgi intermediate compartment, 269–270
fusion of vesicles, 272
nuclear pore complex scaffold comparison, 283–288
prospects for study, 274
vesicle tethering of vesicles, 271–272
CPY. *See* Carboxypeptidase Y
CT. *See* Cholera toxin
CTF. *See* Coat, tether, and fusion system
Cyclophilin B (CypB), 70–71
CypB. *See* Cyclophilin B
Cystic fibrosis transmembrane conductance regulator (CFTR), 48, 300–301
Cytomegalovirus. *See* Human cytomegalovirus
- Dengue virus, endoplasmic reticulum’s role in replication and assembly, 149, 151–152
Derlin-1, endoplasmic reticulum-associated degradation dislocation role, 35, 39–40
Dislocon. *See* Endoplasmic reticulum-associated degradation
Disulfide bond
 formation overview in mammals, 81–83
 oxidative pathway
 ER oxidase 1, 83–84
 formylglycine-generating enzyme, 86
 glutathione peroxidase, 85
 peroxiredoxin IV, 84–85
 quiescin sulphydryl oxidase, 86
 vitamin K epoxide reductase, 85–86
 proline isomerization during formation, 71
 prospects for study, 90
 protein disulfide isomerase. *See* Protein disulfide isomerase
 reduction in endoplasmic reticulum-associated degradation dislocation, 3
 reductive pathway, 88–89
DnaK, 71

Index

- Doa10, 50, 52–53
Dolichol
 cycle in lipid-linked oligosaccharide synthesis, 253–254
 lipid carrier in protein glycosylation, 249–250
DP1, endoplasmic reticulum stabilization, 94–95
Dpm1, 251
DSL1 complex, 317
- EB1, 97
EDEM_s
 endoplasmic reticulum-associated degradation
 substrate recognition, 33–34
 signal sequence cleavage of EDEM1, 64
- eIF2 α
 CHOP role in stressed cell dysfunction, 23–25
 dephosphorylation, 19–20
 PERK phosphorylation, 18–19
- Endoplasmic reticulum (ER)
 assembly, 98–100
 COPII-mediated vesicle transfer. *See* COPII
 domain stabilization by membrane-shaping proteins, 93–96
 lipid transport. *See* Mitochondria; Nonvesicular lipid transport; *specific lipids*
 mitochondria-associated membrane. *See* Mitochondria
 mitosis dynamics, 96–98
 organelle membrane contacts
 endosome, 104
 Golgi, 103–104
 mitochondria, 102–103
 peroxisome, 104–105
 plasma membrane, 100–102
 protein folding. *See* Protein folding; Proteostasis
 protein translocation. *See* Protein translocation, rough endoplasmic reticulum
 proteomics. *See* Proteomics, endoplasmic reticulum
 tail-anchored membrane protein insertion. *See* GET pathway
 unfolded protein response. *See* Unfolded protein response
 virus interactions. *See* *specific viruses*
- Endoplasmic reticulum-associated degradation (ERAD)
 overview
 mammals, 31–32
 yeast, 47–48
- substrate dislocation in mammals
 adaptors linking recognition to dislocation
 Erlins, 36
 Insigs, 36
 SEL1L, 34–35
 viral-encoded adaptors, 36–37
 dislocon identification, 37
 disulfide bond reduction, 38
 drivers, 38
 Fbx/Fbs proteins for capture of dislocated glycoproteins in cytoplasm, 36
 lipid droplet role, 37–38
 protein unfolding role, 37
 rhomboid role, 38–40
- substrate recognition in mammals
 glycoprotein folding sensing by N-glycans, 33
 mannose-specific lectins, 33–34
 substrate types, 32–33
- ubiquitination and degradation in mammals
 E3 ligases
 cooperativity, 40–41
 types, 40
 VCP/p97 recruitment, 41
- yeast
 E3 ligases in substrate processing, 49–50
 early steps, 48–49
 substrate retrotranslocation, 52–55
 substrate selection, 50–52
 ubiquitination and degradation, 55
- Endoplasmic reticulum Golgi intermediate compartment (ERGIC), 269–270
- Endoplasmic reticulum-mitochondria encounter structure (ERMES), 117, 123, 195
- Endosome, endoplasmic reticulum interactions, 104
- ER. *See* Endoplasmic reticulum
- ERAD. *See* Endoplasmic reticulum-associated degradation
- Erd2, 314
- ERdj3, 67
- ERdj4, 67
- ERdj5, 38, 67
- ERdj6, 67
- ERFAD, 89
- ERGIC. *See* Endoplasmic reticulum Golgi intermediate compartment
- ERGIC-53, 269, 300
- Erlins, endoplasmic reticulum-associated degradation role, 36
- ERMES. *See* Endoplasmic reticulum-mitochondria encounter structure
- Ero1, 83–84
- ERp46, 85
- FAPP2, 211
- Fbx/Fbs proteins, endoplasmic reticulum-associated degradation role, 36, 40
- FGE. *See* Formylglycine-generating enzyme
- FHV. *See* Flock House virus
- FK506, 71
- FKBPs, 71
- Flock House virus (FHV), endoplasmic reticulum role in replication and assembly, 148–149
- Folding. *See* Protein folding; Proteostasis
- Formylglycine-generating enzyme (FGE), disulfide bond formation role, 86
- FOXO1, 25
- FtsY, 238
- GADD34, 24
- GAT1, 270
- GBF1, 314
- Gcs1, 315
- Gem1p, 117
- GET pathway
 components, 224
- Get3
 membrane recruitment of complexes, 227–228
 tail-anchored membrane protein recognition, 226–227
 release, 228–229
- membrane insertion, 229–230
- modeling, 230–231
- overview, 223–224
- protein capture, 224–226
- Get proteins. *See* GET pathway
- Glo3, 315–316
- Glucosidase II, 68

- Glutathione peroxidase (Gpx), disulfide bond formation role, 85
- Glycosylation, *N*-linked glycosylation
dolichol as lipid carrier, 249–250
glycan structure, 250
lipid-linked oligosaccharide synthesis
dolichol cycle, 253–254
endoplasmic reticulum luminal phase, 253
initial steps, 252–253
overview, 250–252
oligosaccharyltransferase
cotranslational versus posttranslational modification, 256–257
lipid-linked oligosaccharide donor substrate, 255
polypeptide acceptor substrates, 255–256
structures, 254–255
subunit functions, 257–258
overview, 65–66, 249
prospects for study, 258
- GoAS, 319
- GoES, 319
- Golgi apparatus
COPII-mediated vesicle transfer. *See* COPII
endoplasmic reticulum
comparison, 176
interactions, 103–104
- proteomics
calnexin cycle, 181–183
endoplasmic reticulum–Golgi functional interrelationship, 179, 181
hierarchical clustering, 179–180
organelle isolation and mass spectrometry, 176–177
peptide matching, 177–178
prospects, 186–187
protein classification, 182–185
protein correlation profiling, 185–186
quantitative proteomics, 178–179
- retrograde trafficking to endoplasmic reticulum
overview, 313–314
prospects for study, 319
short-distance transport, 318–319
vesicle formation at Golgi
COP1-independent transport carriers, 316–317
COP1 vesicles, 314–316
vesicle targeting and fusion with endoplasmic reticulum, 317
- gp78/AMFR, 40
- Gpx. *See* Glutathione peroxidase
- GRP94, 67–68
- Guided-entry of tail-anchored membrane protein insertion.
See GET pathway
- HAC1, mRNA, 4, 6–7
- HCMV. *See* Human cytomegalovirus
- HCV. *See* Hepatitis C virus
- HDAC. *See* Histone deacetylase
- Healthspan, proteostasis, 293
- Heat shock proteins, trafficking proteostasis network integration, 301
- Heat shock response (HSR), 293
- Hepatitis C virus (HCV), endoplasmic reticulum role in replication and assembly, 150–152
- Histone deacetylase (HDAC), 296
- HIV. *See* Human immunodeficiency virus
- HMG-CoA reductase, endoplasmic reticulum-associated degradation, 36, 48, 323
- Hrd1, 40, 49–50, 52–55
- Hrd3, 53
- HSF1, 5
- Hsp70. *See also* BiP; Kar2p
family members, 48, 67
- HSR. *See* Heat shock response
- HTM1, 182
- Human cytomegalovirus (HCMV), endoplasmic reticulum in immune evasion, 154
- Human immunodeficiency virus (HIV), endoplasmic reticulum role in replication and assembly, 148–149
- Insigs, endoplasmic reticulum-associated degradation role, 36
- Insulin. *See also* β cell
peripheral tissue stress and resistance, 25–26
processing, 17–18
- Ire1, 182
BiP binding, 5–7, 11
Jun N-terminal kinase activation, 25
unfolded protein binding
biochemical evidence, 7–10
mechanism, 10
oligomerization induction, 10–11
structural evidence, 7–9
unfolded protein response initiation
metazoans, 11–12
yeast, 2–7
- JNK. *See* Jun amino-terminal kinase
- Jun amino-terminal kinase (JNK), Ire1 in activation, 25
- Kar2p, 67, 243, 314
- KDS. *See* 3-Ketodihydrophosphingosine
- Kennedy pathway, 113
- 3-Ketodihydrophosphingosine (KDS), 194–195
- Lcb3, 215
- LD. *See* Lipid droplet
- Leptin, peripheral tissue stress and resistance, 25–26
- Lipid droplet (LD), endoplasmic reticulum-associated degradation dislocation role, 37–38
- Lipid transport. *See* Mitochondria; Nonvesicular lipid transport; *specific lipids*
- Lipid-linked oligosaccharide. *See* Glycosylation, *N*-linked glycosylation
- LPEAT2, 113
- Mannose-6-phosphate receptor homology (MRH) domain, 33
- Mannosidase I, 179
- Marinesco–Sjögren syndrome, 67
- Mass spectrometry. *See* Proteomics
- Messenger RNA (mRNA), targeting to rough endoplasmic reticulum, 236–237
- MFN2, 103
- MINOS, 117–118, 123
- Mitochondria
aminoglycerophospholipid synthesis, 111–114
cardiolipin
link between synthesis and aminoglycerophospholipid transport, 118–115

Index

- Mitochondria (*Continued*)
synthesis, 114–115
endoplasmic reticulum
interactions, 102–103
mitochondria-associated membrane, 109–110, 123, 193
phosphatidylglycerol synthesis, 114–115
phosphatidylinositol synthesis, 115
phospholipids
classes, 110–111
import, 119
transport between endoplasmic reticulum and mitochondria, 115–118
sphingolipids
mitochondrial incorporation, 122
synthesis, 119–120
sterols
import, 120–122
localization, 119
MRH domain. *See* Mannose-6-phosphate receptor homology domain
mRNA. *See* Messenger RNA
- Ndc1, 287–288
NE. *See* Nuclear envelope
Nic96 complex, 281
N-linked glycosylation. *See* Glycosylation, N-linked glycosylation
- Nonvesicular lipid transport
lipid transfer proteins
lipid complex, 198
principles of lipid transport, 198–199
overview, 194–195, 197–198
phospholipids, 201–202
prospects for study, 202
sphingolipids, 199–201
sterols, 199–201
NPC. *See* Nuclear pore complex
NSF, 303
Nuclear envelope (NE), structure, 279–280
Nuclear pore complex (NPC)
prospects for study, 288
scaffold
components, 281–283
vesicle coat protein complex comparison, 283–288
structure, 280–281
Nup proteins, 281–283, 287
- Oligosaccharyltransferase (OST), 65, 68
cotranslational versus posttranslational modification, 256–257
lipid-linked oligosaccharide donor substrate, 255
Ost proteins, 254–258
polypeptide acceptor substrates, 255–256
structures, 254–255
subunit functions, 257–258
OPI3, 114
Orm proteins, 212–213, 217–218
OS-9, 34–35, 38
OSBP. *See* Oxysterol-binding protein
Osh proteins, 101, 200–201
OST. *See* Oligosaccharyltransferase
Oxysterol-binding protein (OSBP), 192, 200–201
- p115, 271, 301
PC. *See* Phosphatidylcholine
- PCP. *See* Protein correlation profiling
PDI. *See* Protein disulfide isomerase
PE. *See* Phosphatidylethanolamine
PERK
β-cell cytoprotection, 21
eIF2α as substrate and translational repression, 18–19
origins, 26
subcellular localization, 19
unfolded protein response initiation
metazoans, 11–12
yeast, 4
Peroxiredoxin IV (PrxIV), disulfide bond formation role, 84–85
- Peroxisome
biogenesis disorders, 131–132
de novo biogenesis in wild-type cells, 138–139
endoplasmic reticulum in biogenesis
overview, 132–134
peroxisomal membrane proteins
insertion into endoplasmic reticulum, 134–135
migration from endoplasmic reticulum, 136–137
preperoxisomal vesicles in maturation, 137–138
prospects for study, 139–140
endoplasmic reticulum interactions, 104–105
protein trafficking, 132
- Pex3p, 134, 136, 140
Pex6p, 136, 138
Pex7p, 136
Pex10p, 137
Pex13p, 137
Pex14p, 137
Pex15p, 135–136
Pex16p, 134, 137, 140
PG. *See* Phosphatidylglycerol
PGGM complex, 301
Phosphatidylcholine (PC)
mitochondrial import, 115
synthesis in endoplasmic reticulum, 192
transport between endoplasmic reticulum and mitochondria, 115–118
- Phosphatidylethanolamine (PE)
synthesis in endoplasmic reticulum, 192–193
transport between endoplasmic reticulum and mitochondria, 115–118
- Phosphatidylglycerol (PG), mitochondrial synthesis, 114–115
- Phosphatidylinositol (PI)
mitochondria
import, 115
synthesis, 115
nonvesicular lipid transport, 201–202
synthesis in endoplasmic reticulum, 193–194
- Phosphatidylserine decarboxylase (PSD), 113
- Phosphatidylserine (PS)
synthesis in endoplasmic reticulum, 193
transport between endoplasmic reticulum and mitochondria, 115–118
- Phospholipase D (PLD), 198
- PI. *See* Phosphatidylinositol
- PKA. *See* Protein kinase A
- Pkh kinases, 217
- Plasma membrane, endoplasmic reticulum interactions, 100–102
- PLD. *See* Phospholipase D

- Png1, 55
Polyomavirus (Py), endoplasmic reticulum utilization during entry, 144–148, 155
Pom34, 287–288
Pom152, 287–288
PP1R15, eIF2α dephosphorylation, 19–20
PPI. *See* Prolyl peptidyl isomerase
Prion protein (PrP), 64
Prolyl peptidyl isomerase (PPI), 70–71
Proteasome. *See* Ubiquitination
Protein correlation profiling (PCP), endoplasmic reticulum–Golgi proteomics, 185–186
Protein disulfide isomerase (PDI), 70, 83, 87–88
Protein folding. *See also* Proteostasis
 chaperones
 carbohydrate-binding chaperones, 68–69
 classical chaperones, 66–68
 co-translational versus posttranslational folding, 65
 folding enzymes
 overview, 69–70
 oxidoreductases, 70
 prolyl peptidyl isomerase, 70–71
 protein disulfide isomerase, 70
 secretory cargo perspective, 71–74
 unfolded protein response. *See* Unfolded protein response
Protein kinase A (PKA), 120–121
Protein translocation, rough endoplasmic reticulum
 prospects for study, 243–244
 ribosome and messenger RNA targeting to rough endoplasmic reticulum, 236–237
 ribosome–nascent chain complex
 delivery to translocation channel, 237–238
 transfer to Sec61 complex, 239–240
Sec62/Sec63 complex
 cotranslational translocation role, 243
 posttranslational translocation role, 242–243
signal hypothesis, 236
signal recognition particle–signal recognition particle receptor targeting pathway, 238–239
translocation channels
 ribosome-binding sites, 239
 structures, 240–242
Proteomics
 endoplasmic reticulum
 protein complex identification, 165
 protein function studies, 166–167
 proteome defining, 163–165
 systematics overview, 161–163
 Golgi apparatus–endoplasmic reticulum proteomics
 calnexin cycle, 181–183
 endoplasmic reticulum–Golgi functional interrelationship, 179, 181
 hierarchical clustering, 179–180
 organelle isolation and mass spectrometry, 176–177
 peptide matching, 177–178
 prospects, 186–187
 protein classification, 182–185
 protein correlation profiling, 185–186
 quantitative proteomics, 178–179
Proteostasis
 Anfinsen compartments, 293, 303–304
 biology
 overview, 294–296
 trafficking biology overlap and integration, 296, 304–305
 coat, tether, and fusion system, 291–292, 295
 proteostasis network, 297
 TRaCKS, 294, 298–300
 trafficking proteostasis network, 292, 294, 296–303
 ubiquitin proteasome system in cargo-specific TRaCKS biology, 300–301
PrP. *See* Prion protein
PxIV. *See* Peroxiredoxin IV
PS. *See* Phosphohatidylserine
PSD. *See* Phosphatidylserine decarboxylase
Py. *See* Polyomavirus
QSOX. *See* Quiescin sulfhydryl oxidase
Quiescin sulfhydryl oxidase (QSOX), disulfide bond formation role, 86
Rab1, 271, 317
Rab6, 316
Ran, 279
Rft1p, 252
Rhomboid, endoplasmic reticulum-associated degradation dislocation role, 38–40
Ribosome, targeting to rough endoplasmic reticulum, 236–237
Rotavirus, endoplasmic reticulum role in replication and assembly, 152–154
Rough endoplasmic reticulum. *See* Protein translocation, rough endoplasmic reticulum
Rtn, endoplasmic reticulum stabilization, 94–95
Rubella virus, endoplasmic reticulum role in replication and assembly, 148–149
Sac1, 100
Sar1, 136, 266–267, 314
Sec12, 266
Sec13, 283
Sec13/Sec31 complex, 266–267
Sec16, 137
Sec23/Sec24 complex, 266–267, 271
Sec24, 267
Sec59, 250
Sec61, 53–54, 135, 223, 239–240
Sec62/Sec63 complex
 cotranslational translocation role, 243
 posttranslational translocation role, 242–243
Sec62p, 135
Sec63p, 135
SecA, 241
SecE, 241
SecY, 239, 241
SecYE β , 240–241
SecYEG, 241–242
Sed5, 272
Seh1, 281–282, 284
SEL1L, endoplasmic reticulum-associated degradation role, 34–35
Semliki Forest virus, endoplasmic reticulum role in replication and assembly, 148–149
SGA. *See* Synthetic genetic array
Sgt2, 224, 230
Shiga toxin (ST), endoplasmic reticulum utilization during entry, 148
Signal recognition particle (SRP)
 ribosome and messenger RNA targeting to rough endoplasmic reticulum, 236–237
 ribosome–nascent chain complex delivery to translocation channel, 237–238

Index

- Signal recognition particle (SRP) (*Continued*)
 signal recognition particle–signal recognition particle receptor targeting pathway, 238–239
- Signal sequence, cleavage, 64–65
- Sly1, 272
- SNAREs, 272, 301, 303, 313, 315, 317, 319
- Sphingolipids
 functional overview, 207–208
 mitochondrial incorporation, 122
 modes of action, 208–209
 nonvesicular lipid transport, 199–200
 regulation of homeostasis
 prospects for study, 218–219
 sensing of sphingolipids, 215–218
 synthesis, 212–214
 transport and turnover, 215
 structures, 208
 synthesis, 119–120, 194–195, 209–211
 turnover and degradation, 211
- SPOTS complex, 213
- SRa, ribosome–nascent chain complex delivery to translocation channel, 237–238
- SREBP. *See* Sterol response element binding protein
- SRP. *See* Signal recognition particle
- SRP54, ribosome–nascent chain complex delivery to translocation channel, 237–238
- ST. *See* Shiga toxin
- StAR. *See* Steroidogenic acute regulatory protein
- START, 192, 200
- Steroidogenic acute regulatory protein (StAR), 120, 200
- Sterol response element binding protein (SREBP), 12, 26
- Sterols
 mitochondria
 import, 120–122
 localization, 119
 nonvesicular lipid transport, 200–201
- STIM1, 96–99, 102
- STIM2, 102
- Synthetic genetic array (SGA), endoplasmic reticulum studies, 167–168
- Systematics, endoplasmic reticulum. *See also* Proteomics
 chemical interaction maps, 168–169
 genetic interaction maps, 167–168
 overview, 161–163
 prospects, 170
 stress signaling studies, 165–166
- Tail-anchored membrane proteins. *See* GET pathway
- TANGO1, 267–268
- TFG-1, 269
- TPN. *See* Trafficking proteostasis network
- TRaCKS, 294, 298–300
- Trafficking proteostasis network (TPN), 292, 294, 296–303
- Translocation channel. *See* Protein translocation, rough endoplasmic reticulum
- TRAPP, 270–273
- Trs23, 271
- Trs31, 271
- UBAC2, endoplasmic reticulum-associated degradation
 dislocation role, 39–40
- Ubc7, 55
- Ubxd1, 300
- Ubiquitination
 E2 ligases in yeast endoplasmic reticulum-associated degradation, 55
 E3 ligases in endoplasmic reticulum-associated degradation
- mammals
 cooperativity, 40–41
 types, 40
yeast, 49–50
- ubiquitin proteasome system in cargo-specific TRaCKS biology, 300–301
- Ubx2, 54
- UBXD8, 39–40
- Ugo1, 118
- UGT1, 69
- Unfolded protein response (UPR)
 β-cell pathophysiology, 21–23
 BiP
 expression regulation, 5
 Ire1 binding, 5–7, 11
 cellular effects, 2
 equilibrium model of activation, 10–11
 Ire1 binding to unfolded proteins
 biochemical evidence, 7–10
 mechanism, 10
 oligomerization induction, 10–11
 structural evidence, 7–9
 peripheral tissue stress and leptin and insulin resistance, 25–26
 signaling pathway elucidation, 165–166
 stress sensors in initiation
 ATF6
 metazoans, 12–13
 yeast, 5
 Ire1
 metazoans, 11–12
 yeast, 2–7
 PERK
 metazoans, 11–12
 yeast, 4
 prospects for study, 13
- Upb3, 316
- UPR. *See* Unfolded protein response
- Ups1p, 119
- Usa1p, 50
- Uso1, 271
- Vaccinia virus (VV), endoplasmic reticulum role in replication and assembly, 149, 155
- Valosin-containing protein. *See* VCP/p97 complex
- VAP-A, 104
- VCP/p97 complex
 endoplasmic reticulum-associated degradation
 dislocation role, 36, 38
 recruitment, 41
 proteostasis, 302
- Vitamin K epoxide reductase (VKOR), disulfide bond formation role, 85–86
- VKOR. *See* Vitamin K epoxide reductase
- VV. *See* Vaccinia virus
- Wolcott–Rallison syndrome, 18
- XBP1, mRNA, 4, 25
- XTP3-B, 34–35, 38
- Yod1, 41
- Yop1, endoplasmic reticulum stabilization, 94–95
- Yos9, 53
- Ypk1, 217, 271–272, 317