

Index

- A**
- Ackr3, 214
 - Actin cytoskeleton, modulation of, 24
 - Activity-dependent mechanisms
 - chandelier cell development, 94–96
 - connectivity refinement through synaptic plasticity, 167, 175–177
 - interneuron migration, 214–215
 - interneuron transcriptional profile adaptation, 219
 - retinal ganglion cell organization, 194–195, 200
 - Adhesive G-protein-coupled receptor (aGPCR), 24–25, 27
 - Adolescence, prefrontal cortex reorganization during, 41–42
 - AISs. *See* Axon initial segments
 - AMPA-mediated synaptic transmission, 22–24
 - Aplysia californica*, 1
 - Apoptosis, interneuronal, 215–216
 - Areal identity, 64–65
 - Arealization, cortical, 49, 61, 64–65, 67
 - Arid1a*, 53, 58
 - Autism spectrum disorder
 - hypopriors theory, 127
 - RNN models, 127–128
 - Axo-axonic synapses
 - formation along the axon initial segment (AIS), 92–93
 - function, 96–98
 - plasticity of, 94–96
 - Axon guidance, mutations in, 76–77
 - Axon initial segments (AISs)
 - as chandelier cell target, 87–88, 92–99
 - formation of axo-axonic synapses along, 92–93
- B**
- Backpropagation, 118, 120
 - BAIs (brain-specific angiogenesis inhibitors), 25
 - Barcoding, 134, 137, 141, 146
 - Basket cells (BCs), 87, 89
 - Basolateral amygdala (BLA), 92, 98–99
 - BDNF (brain-derived neurotrophic factor), 41
 - Behavioral evolution
 - circuit modularity, 9
 - nudibranch swimming, 8–9
 - review, 8–10
 - Behaviors
 - evolutionary approaches to understanding neural basis of, 156–158
 - examples of circuit adaptations in closely related species, 158–159
 - quantitative measurement, 11
 - Binocular vision, 194–196
- Bird song**, 9
- Birds**
 - circuits and computations in, 225, 233–236
 - dorsal ventricular ridge (DVR), 58, 60, 233, 236
- BLA (basolateral amygdala), 92, 98–99
- Blood oxygen-level-dependent (BOLD) fMRI, 106–107, 110, 112
- Brain**
 - evolution, 2, 4
 - human brain organoids, 11
 - mapping the retina onto, 191–202
 - modular organization, 4
- Brain-derived neurotrophic factor (BDNF), 41
- Brain-specific angiogenesis inhibitors (BAIs), 25
- C**
- Calcium/calmodulin-dependent serine protein kinase (CASK), 19
- Categorization, convergent circuit computation, 225–237
- Cell adhesion molecules (CAMs)
 - actin cytoskeleton modulation, 24
 - canonical protein kinase signaling, 25–26
 - G-protein signaling, 24–25
 - LAR-RPTPs, 17–21
 - LRRTMs, 23
 - neurexin (NRXN), 17–21
 - neuroligins (NLGNs), 17, 21–22
 - postsynaptic, 21–23
 - presynaptic, 18–21
 - scaffold-mediated synapse organization, 18–23
 - signaling at the synapse, 17–27
- Cell death, circuit mechanism for interneuron, 215–216
- Cell types
 - defining, 211
 - of cortical projection neurons, 135–137
 - transcriptomically defined, 135
- Central pattern generators (CPGs)
 - exaptation, 6, 8
 - neuromodulation, 2
- Centralization of the nervous system, 2
- Cerebellum, evolution of nuclei in, 4, 6
- Cerebral cortex evolution, mechanisms of, 4
- Chandelier cells (ChCs)
 - activity-dependent plasticity of, 94–96
 - axo-axonic synapse function, 96–98
 - axon initial segment (AIS) as target of, 87–88, 92–99
 - building the chandelier, 92–94
 - circuit function, role in, 98–100
 - defining, 89

Index

- Chandelier cells (ChCs) (*Continued*)
 development of, 87–100
 embryonic origins of, 90
 gap junctions, 99–100
 heterogeneity, 92
 labeling and manipulating in the mouse brain, 91–92
 lighting the chandelier, 98–100
 Pvalb, 89–91
 refining the chandelier, 94–96
- Circuit evolution. *See* Neuronal circuit evolution
- Circuit modularity, 9
- Circuit organization, and modeling emergence during development, 167–183
- Classification, of cell types, 211
- Clastrum, 34, 60–61, 136
- CNVs (copy number variants), 77
- Cognitive function
 development of prefrontal circuits and, 33–43
 RNN studies on development of, 123–124
- Collateralization of projections, 134, 137–138, 141–146
- Collopathial field hypothesis, 60
- Computation categorization, 225–237
- Conditional deletion mutants, 51
- Connectivity. *See also* Structured connectivity
 activity-dependent refinement of connectivity through synaptic plasticity, 175–177
 emergence and refinement of structured feedforward, 177–179
 emergence and refinement of structured recurrent, 179–181
 inhibitory control of emergent, 181–182
 recurrent, 127, 154, 172, 177, 179–181
 reimagining cortical connectivity by deconstructing its molecular logic into building blocks, 133–146
- Connectivity maps, cortical, 133–146
- Conscious perception, 49
- Contralaterally projecting RGCs (contra-RGCs), 191, 194–195, 197
- Convergent circuit computation categorization, 225–237
- Convergent evolution, 156–157
- Copy number variants (CNVs), 77
- Corpus callosum, development of, 79–81
- Cortical connectivity maps, 133–146
- Cortical development, thalamic regulation of, 61–65
- Cortical folding, 108
- Cortical projection neurons
 cell types, 135–137
 diversity of projections, 137–138
 gene expression profile relationship, 137–142
- CPGs (central pattern generators), 2, 6, 8
- Crows, 225–226, 231–232, 234–236
- Cxc12, 214
- Cxcr4, 214
- Cytoskeleton, modulation of, 24
- D**
- Deep homologies, 153, 160–161
- DeepLabCut, 11, 160
- Deer mouse, 158
- Default mode network, 107
- Desynchronization, 172–173, 218
- Development mechanisms of circuit evolution, 3–5
- Developmental robustness, 82
- Developmental variation
 corpus callosum, 79–81
 non-shared environment, 80–82
 probabilistic effects, 79–80
 review, 78–82
- Diencephalic-telencephalic boundary (DTB), 50
- Divergent evolution, 157–158
- Diversity, interneuron, 211–220
- Division of labor model, 6–8
- DNA methylation profiles, 140–141
- Dogs, diversification of behavioral traits in, 78
- Dopamine receptors
 in avian nidopallium caudolaterale, 235
 in prefrontal cortex, 232–233
- Dorsal ventricular ridge (DVR), 58, 60–61, 233, 236
- Dorsolateral geniculate nucleus (dLGN), 193
 eye-specific organization in, 194–195
 retinotopic alignment of feedforward and feedback connections in SC and dLGN, 198
 RGC-type-specific organization in, 199–200
- Drosophila*
 courtship rituals, 9, 158
 developmental variation, 79
 neuronal circuit evolution, 4–5, 9
 pheromone response, 5
- DTB (diencephalic-telencephalic boundary), 50
- DVR (dorsal ventricular ridge), 58, 60–61, 233, 236
- E**
- Eat-me factors, 41
- Electrical activity, in developing prefrontal cortex, 37–40
- Emx1*, 51, 53, 58, 67
- Emx2*, 50
- Energy landscape, 74
- EphA, 194, 197–198
- EphB, 194, 198
- Ephrin-A, 194, 197–198
- Ephrin-B, 194, 198
- Epigenetic landscape, 74
- Er81, 219
- ErbB4, 214, 218
- Evolution. *See also* Neuronal circuit evolution
 approaches to understanding the neural basis of behaviors, 156–158
 convergent, 156–157
 design principles in neural circuits, 155–156
 divergent, 157–158
 examples of circuit adaptations in closely related species, 158–159
 perturbations to neural circuits, 154–155
- Evolutionary systems neuroscience
 deep homologies, 153, 160–161

- outlook, 160–161
- review, 153–161
- technical revolution enabling, 160
- Exaptation, 6, 8
- Excitation/inhibition (E/I) balance, 181
- Excitation/inhibition (E/I) imbalance theory, 127
- Eye evolution, 6

- F**
- Feedforward connections, 118–121, 138, 174–181, 198
- Fetal brain, fMRI studies of, 105–112
- Firing rate model, 119
- FOXP2, 9
- Fruitless*, 9
- Functional connectivity, 106–107, 109–111
- Functional magnetic resonance imaging (fMRI)
 - changes in large-scale functional connectivity in the fetal brain, 109–111
 - human circuit development, 105–112

- G**
- G protein signaling, 24–25
- GABA polarity, at the axon initial segment (AIS), 99
- GABAergic interneurons, 8, 87–100, 170–171, 173, 215, 218, 234
- Gain scaling, 175
- GAPs (GTPase-activating proteins), 24
- GDPs (giant depolarizing potentials), 171
- GEFs (guanine nucleotide exchange factors), 24
- Gene–projection relationship
 - cortical projection relationship, 137–142
 - developmental perspective for unraveling, 144–146
 - gene expression profiles, 133–146
 - inferring through underlying biological processes, 142–144
 - projection collateralization, 134, 137–138, 141–146
 - review, 133–146
 - strategies for understanding, 137, 139–141
- Gene regulatory networks (GRNs), 213, 220
- Genetic variation
 - copy number variants (CNVs), 77
 - neurodevelopment in humans, 76–77
 - polygenic, 77–78
 - single mutations, 75–76
 - variability in neural circuit formation, 75–78
- Genetics
 - forward genetic screens, 75
 - mechanisms of circuit evolution, 3–5
 - neurodevelopment in humans, 76–77
 - reverse, 75
- Genome-wide association studies (GWAS), genetic variance and, 77–78
- Gi DREADDS, 215
- Giant depolarizing potentials (GDPs), 171
- Glia, of prefrontal cortex, 37
- GNARL (generalized acquisition of recurrent links), 121

- GRNs (gene regulatory networks), 213, 220
- GTPase-activating proteins (GAPs), 24
- Guanine nucleotide exchange factors (GEFs), 24

- H**
- Handshake hypothesis, 51, 53–54, 57–58
- Hebb's rule, 117
- Higher order networks, 107
- Hodgkin–Huxley models, 119
- Hopfield networks, 122, 125–127
- HUGO Gene Nomenclature Committee (HGNC) system, 89
- Hypopriors theory of ASD, 127

- I**
- Identity, interneuron, 211–215, 219–220
- Inhibitory control of plasticity and emergent connectivity, 181–182
- Inhibitory cortical networks, maturation of, 216–217
- Interneurons
 - cell death, 215–216
 - chandelier cells (ChCs), 87–100
 - circuit interactions between functionally coupled category-selective pyramidal cells and, 231–232
 - compartment selectivity of output, 218–219
 - developmental dysfunction and neuropsychiatric disease, 217–218
 - developmental transition of interneuron afferent connectivity, 217
 - diversity, 211–220
 - early programming of molecular identity in cardinal interneuron groups, 212–214
 - environmental influences on subtype identity, 212
 - evolution of, 6
 - GABAergic, 87–100
 - identity, 211–215, 219–220
 - in avian nidopallium caudolaterale, 235–236
 - migration, molecular and activity-dependent mechanisms for, 214–215
 - parvalbumin (PV), 39–41, 87, 170, 174, 182, 213–219
 - plasticity, 182
 - prefrontal cortex development, 37, 39–41
 - response to categories, 227–229
 - somatostatin (SST), 87, 171, 174, 182, 212–217, 219
 - specification is determined by extrinsic and intrinsic influences, 220
 - thalamocortical activity and development of inhibitory, 63
 - tracking the progression of cortical, 213
 - transient connectivity, 211, 216–217
 - vasoactive intestinal peptide (VIP), 212, 215
- Intrinsically photosensitive RGCs (ipRGCs), 196, 199, 201–202
- Ipsilaterally projecting RGCs (ipsi-RGCs), 191, 194–197

Index

K

Kalirin, 24

L

Lamination, 108

Landscape, neurodevelopmental, 74

LAR-type receptor protein tyrosine phosphatases (RPTPs) (LAR-RPTPs), 17, 21

Large-scale connectivity, in fetal brain, 109–111

Learning

metalearning, 123–125

neuromodulator regulation of, 124–125

Learning rules, 120, 122, 128, 177

Long-range connectivity, 105–106, 109–110

Long-term depression (LTD), 41

LPHNs, 24–25, 27

LRRRTMs, 23

M

MAGUK (membrane-associated guanylate kinase), 18, 23–24

Marsupials, 67

McCulloch–Pitts model, 119

Mean-field models, 170, 174

Mediodorsal nucleus (MD) of the thalamus, 34–35

Membrane-associated guanylate kinase (MAGUK), 18, 23–24

Memory

RNN studies, 122

working, 232–233

Metalearning, 123–125

Mice

retinal waves, 193–194

vocal communication in, 159

Microglia

inhibitory synapse remodeling, 218–219

prefrontal reorganization during adolescence, 41–42

pruning mediated by, 41, 219

Modeling

circuit development with RNNs, 117–128

circuit evolution and development, 167–183

Modular evolution, 4, 6

Monkey, studies in, 226–233

Mutation, and genetic variation in neural circuit formation, 75–76

Myeloid translocation gene 8 (Mtg8), 213

N

NCL (nidopallium caudolaterale), 234–236

Nell2, 194

Netrin-B gene, 79

Neural networks, recurrent. *See* Recurrent neural networks

Neuregulin 3 (Nrg3), 214, 218

Neurexin (NRXN), 17–21

Neurodevelopmental disorders. *See also specific disorders*

genetics of, 76–78

RNN models of, 125–128

Neurogenesis, and recurrent neural networks (RNNs), 120–121

Neuroimaging

characterizing brain function and connectivity in the brain with, 106–107

fMRI of human circuit development, 105–112

Neuromodulators, in RNNs, 124–125

Neuronal circuit evolution

adaptive significance, 8–10

complexity generation, 6–8

ecological context, 8–10

first circuits, 6

genetic and developmental mechanisms, 3–5

review of, 1–11

structural and functional, 5–8

Neuronal ensembles, input-specific, 216

Neurons

development in prefrontal cortex, 35, 37

evolutionary origins of, 2, 5–6

Neuropsychiatric disorders

impact of developmental dysfunction on, 217–218

miswiring during prefrontal development, 42–43

Nidopallium caudolaterale (NCL), 234–236

NMDAR-mediated synaptic transmission, 22–24

Nrg1, 218

NRXN (neurexin), 17–21

Nudibranchs, 8–9

Number neurons, 226

Number representations, 225–226, 229–231

Numerosity tuning, 226–227, 229, 232, 236

O

Olfactory systems, convergent evolution in, 157

Olivary pretectal nucleus (OPN), 196, 202

Organoids, brain, 11

P

Pallial circuits, phylogenetic modifications of major, 227

Pallid–subpallial boundary (PSPB), 49–61, 67

Pallium, avian

abstract categorization, 235–236

circuit components in, 233–234

nidopallium caudolaterale (NCL), 234–236

Parvalbumin (PV) interneurons, 39–41, 87, 170, 174, 182, 213–219

Patch-seq, 89, 136

PCDHG, 215–216

Perturbations

off-and-on-manifold, 154–155

to neural circuits, evolutionary, 154–155

PFC. *See* Prefrontal cortex

Pheromone, 5

Pitx1, 154

- Plasticity
 Hebbian, 172, 178–179
 inhibitory control of, 181–182
 synaptic, 96, 167–168, 175–179, 181–182, 195
- Polygenic variation, 77–78
- Pose estimation, 11
- Prefrontal cortex (PFC)
 circuits and computations in the primate prefrontal neocortex, 226–233
 disease-relevant miswiring during development, 42–43
 divisions of, 34
 dopamine receptors, 232–233
 early patterns of electrical activity in developing, 37–40
 in rodents, 34–35
 late development of prefrontal circuits and emergence of cognitive abilities, 40–42
 milestones of structural prefrontal development, 35–37
 overview, 33–35
 pruning of circuits, 40–41
 structural reorganization during adolescence, 41–42
- Primates
 chandelier cells, 87, 89, 91–92, 94
 circuits and computations in prefrontal cortex, 226–233
- Programmed cell death, 4
- Projection collateralization, 134, 137–138, 141–146
- Protonurons, 2
- Pruning
 cortical connectivity maps, 142, 144
 microglia-mediated, 41, 219
 microglia-mediated synaptic, 218–219
 prefrontal circuits, 40–41
 RNN circuits, 120–122
 schizophrenia, 126–127
 schizophrenia symptoms, 126
- PSPB. *See* pallid–subpallial boundary
- PV (parvalbumin) interneurons, 39–41, 87, 170, 174, 182, 213–219
- Pyramidal cells
 circuit interactions between functionally coupled category-selective pyramidal cells and interneurons, 231–232
 response to categories, 227–231
- R**
- Radial glia, 194
- Recurrent connectivity, 127, 154, 172, 177, 179–181
- Recurrent neural networks (RNNs)
 advantages, 120
 basic neurobiological components of, 118–120
 computations mediated by, 120
 development of circuit function, 122–123
 development of cognitive function, 123–124
 GNARL, 121
 grow-when-required algorithm, 122
 in modeling circuit development with, 117–128
 learning at multiple timescales, 123–125
 metalearning, 123–125
 modeling considerations, 123
 models of neurodevelopmental disorders, 125–128
 neurogenesis, 120–121
 structurally dynamic, 120–122
 synaptogenesis, 121
 train-alter-compare approach, 127–128
 training, 119–123, 127–128
- Reeler* mouse, 53, 57
- Regurgitation behavior, 9
- Resting state networks, 107, 109–111
- Retinal ganglion cells (RGCs)
 contralaterally projecting (contra-RGCs), 191, 194–195, 197
 dorsolateral geniculate nucleus (dLGN) eye-specific organization in, 194–195
 DS (direction-selective), 196–197, 199, 202
 eye-specific organization in, 195–196
 ipsilaterally projecting (ipsi-RGCs), 191, 194–197
 lesser-known targets, 192–193, 195–196, 201–202
 ON and OFF, 178, 196–197, 199–200
 postsynaptic choices, 193
 regional specializations of, 196–197
 retinal waves, 193–195
 type-specific pathways, 199–202
 type-specific targets and layers, 192
- Retinal ganglion cells (RGCs) projections,
 type-specific, 199
- Retinal waves, 96, 168–170, 177–179, 193–195, 197
- Retinotopic maps, 176, 191–192
- Retinotopy
 regional specializations of, 196–197
 retinotopic alignment of feedforward and feedback connections in SC and dLGN, 198
 retinotopic organization in lesser-known targets, 198–199
 review, 196–199
- RGCs. *See* Retinal ganglion cells
- Risk genes, for neuropsychiatric disorders, 42
- Risk-seeking behavior, 42
- RNNs. *See* Recurrent neural networks
- Rodents
 chandelier cells, 87–88, 91–96, 98–100
 prefrontal cortex of, 34–38, 43
 sensorimotor behaviors, 158
 thalamocortical connectivity, 50–51, 57, 61, 66–67
- S**
- SC. *See* Superior colliculus
- Schizophrenia
 miswiring during prefrontal development, 42–43
 RNN models, 125–127
- SCN (suprachiasmatic nucleus), 196, 199
- Semaphorin-6A* gene, 79–80
- Set size, 225
- Shaking Rat Kawasaki*, 53
- Shh. *See* Sonic hedgehog

Index

- Short-term plasticity (STP), 170–171, 181
- Signaling pathways, synaptic cell adhesion molecule (CAM)-mediated intracellular
 actin remodeling, 24
 canonical protein kinase signaling, 25–26
 G-protein signaling, 24–25
 review, 17–27
 scaffold-mediated synapse organization, 18–23
- Single-cell RNA-seq, 136, 140–141, 145, 213
- Single-nucleotide polymorphisms (SNPs), risk association with, 78
- SLEAP, 11, 160
- Social behavior, neural substrates of, 158–159
- Social interactions, 9
- Somatostatin (SST) interneurons, 87, 171, 174, 182, 212–217, 219
- Somatostatin-positive (SOM⁺) interneurons, 39–41
- Songbirds, circuits and computations in, 225, 233–236
- Sonic hedgehog (Shh), 154, 194
- Sparsification of neural activity, 172–175
- Spike-timing-dependent plasticity (STDP), 177
- Spiking network model of excitatory neurons, 172
- Spindle bursts, 37–38, 169–172, 174, 178, 182
- Spontaneous activity
 desynchronization and sparsification of activity, 172–175
 in developing circuits, 168
 refinement of feedforward connections, 175
 retinal waves, 96, 168, 170, 177–179, 193–195, 197
 spindle bursts, 37–38, 169–172, 174, 178, 182
 synchronous network events in early development, 168–172
- Spontaneous cortical activity, 108
- SST (somatostatin) interneurons, 87, 171, 174, 182, 212–217, 219
- STDP (spike-timing-dependent plasticity), 177
- STP (short-term plasticity), 170–171, 181
- Structured connectivity
 emergence and refinement of feedforward, 177–179
 emergence and refinement of recurrent, 179–181
 neuroimaging, 106–108, 110–111
- Superior colliculus (SC)
 eye-specific organization in, 195
 retinal waves, 193
 retinotopic alignment of feedforward and feedback connections in SC and dLGN, 198
 retinotopic maps, 192
 RGC-type-specific organization in, 200–201
- Supervised learning, 117–119
- Suprachiasmatic nucleus (SCN), 196, 199
- Synapse, cell adhesion molecule signaling at, 17–27
- Synaptic CAMs. *See* Cell adhesion molecules (CAMs)
- Synaptic clusters, 178–179
- Synaptic connectivity, mutations in, 76–77
- Synaptic organizers, 218
- Synaptic plasticity, 96, 167–168, 175–179, 181–182, 195
- Synaptogenesis, 21, 37, 40, 74, 77, 94, 122, 218
- Synchronous network events in early development, 168–172
- Systems neuroscience, evolution in, 153–161
- ## T
- Terminal selector genes, 5
- Thalamic regulation of cortical development, 61–65
- Thalamocortical axons (TCAs)
 accumulation in cortical subplate prior to invasion of the cortical plate, 53–58
 cortical regulation of TCA targeting, 65–67
 genetic dissection of subplate neuron function in TCA guidance using subplate-spared gene manipulation, 58
 guidance through the PSPB and interactions with the earliest generated cortical neurons, 50–53
 pallid–subpallial boundary (PSPB) and, 49–61, 67
 subplate-dependent guidance of, 56–57
- Thalamocortical connectivity
 development and evolution of, 49–67
 guidance of early thalamic projections through the diencephalic-telencephalic boundary and internal capsule, 50
 hierarchy, 63–65
- Thalamocortical maturation, 108
- Thalamocortical (TC) neurons, retinal ganglion cell (RGC) connection to, 195, 197, 199–200
- Transcriptomic atlases, 134
- Transcriptomically defined neuronal types, 135–137
- Transient connectivity, 211, 216–217
- Trio, 24
- Tuning curves, 226, 229, 232, 236
- Tyrosine kinase C (TrkC), 25–26
- ## V
- Values, 158–159
- Variability in neural circuit formation
 coding problem, 73–75
 developmental variation, 78–82
 evolutionary dynamics, 82–83
 genetic variation, 75–78
 review, 73–83
 sources, 75
- Vasoactive intestinal peptide (VIP) interneurons, 212, 215
- Ventrolateral geniculate nucleus (vLGN), 198–199, 201
- Vision, binocular, 194–196
- Vocal communication systems, mammalian, 159
- Voles, 5
- ## W
- Wigner, Eugene, 153
- Working memory, 232–233
- ## Z
- Zic2, 194